## PENDING CLAIMS

Application No. Not yet assigned (Continuation of Application No. 10/182,830)

Attorney Docket No. 05725.0795-02000

Filed: February 27, 2004

- 104. A method of making a mascara comprising including in said mascara:
- (i) at least one solid substance that has a melting point of about 45°C or greater;
  - (ii) at least one fatty phase structured by at least one polymer;
- (iii) at least one structuring polymer chosen from polymers of following formula (I):

in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R<sup>1</sup> is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R<sup>2</sup> independently represents, in each case, a C<sub>4</sub> to C<sub>42</sub> hydrocarbonaceous group, provided that 50% of the R<sup>2</sup> groups represent a C<sub>30</sub> to C<sub>42</sub> hydrocarbonaceous group; R<sup>3</sup> independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R<sup>4</sup> independently represents, in each case, a hydrogen atom, a C<sub>1</sub> to C<sub>10</sub> alkyl group or a direct bond to R<sup>3</sup> or another R<sup>4</sup>, so that the nitrogen atom to which both

R<sup>3</sup> and R<sup>4</sup> are bonded forms part of a heterocyclic structure defined by R<sup>4</sup>-N-R<sup>3</sup>, with at least 50% of the R<sup>4</sup> groups representing a hydrogen atom;

- (iv) water;
  - (v) at least one coloring agent; and
  - (vi) at least one preservative.
- 105. The method of making a mascara according to claim 104, wherein the at least one fatty phase comprises at least one volatile oil.
- 106. The method of making a mascara according to claim 105, wherein said at least one volatile oil is chosen from isododecane.
- 107. The method of making a mascara according to claim 104, further comprising including at least one neutralizing agent.
  - 108. A method of making a mascara comprising including in said mascara:
  - (i) at least one solid substance that has a melting point of about 45°C or greater;
  - (ii) at least one fatty phase structured by at least one polymer;
  - (iii) at least one structuring polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
  - (iv) water;
  - (v) at least one coloring agent; and

(vi) at least one preservative.

(1):

- 109. The method of making a mascara according to claim 108, wherein the at least one fatty phase comprises at least one volatile oil.
- 110. The method of making a mascara according to claim 109, wherein said at least one volatile oil is chosen from isododecane.
- 111. The method of making a mascara according to claim 108, further comprising including at least one neutralizing agent.
  - 112. A method of making a mascara comprising mixing:
  - (i) at least one solid substance that has a melting point of about 45°C or greater;
  - (ii) at least one fatty phase structured by at least one polymer;
  - (iii) at least one structuring polymer chosen from polymers of following formula

in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R<sup>1</sup> is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R<sup>2</sup> independently represents, in each case, a C<sub>4</sub> to C<sub>42</sub> hydrocarbonaceous group, provided that 50% of the R<sup>2</sup> groups represent a C<sub>30</sub> to C<sub>42</sub> hydrocarbonaceous group; R<sup>3</sup> independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R<sup>4</sup> independently represents, in each case, a hydrogen atom, a C<sub>1</sub> to C<sub>10</sub> alkyl group or a direct bond to R<sup>3</sup> or another R<sup>4</sup>, so that the nitrogen atom to which both R<sup>3</sup> and R<sup>4</sup> are bonded forms part of a heterocyclic structure defined by R<sup>4</sup>-N-R<sup>3</sup>, with at least 50% of the R<sup>4</sup> groups representing a hydrogen atom;

- (iv water;
- (v) at least one coloring agent; and
- (vi) at least one preservative.
- 113. The method of making a mascara according to claim 112, wherein the at least one fatty phase comprises at least one volatile oil.
- 114. The method of making a mascara according to claim 113, wherein said at least one volatile oil is chosen from isododecane.

- 115. The method of making a mascara according to claim 112 further comprising including at least one neutralizing agent.
  - 116. A method of making a mascara comprising mixing:
  - (i) at least one solid substance that has a melting point of about 45°C or greater;
  - (ii) at least one fatty phase structured by at least one polymer;
  - (iii) at least one structuring polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
  - (iii) water;
  - (iv) at least one coloring agent; and
  - (ii) at least one preservative.

- 117. The method of making a mascara according to claim 116, wherein the at least one fatty phase comprises at least one volatile oil.
- 118. The method of making a mascara according to claim 117, wherein said at least one volatile oil is chosen from isododecane.
- 119. The method of making a mascara according to claim 116, further comprising including at least one neutralizing agent.